





GU10 LED Lamp


NRP-GU10-10 Series



Item Code	P (W)	Total Lumen	Beam angle	lm/w	CCT	Dimensions in mm		Lamp Type	kg
						A	B		
NRP-GU10-10 -9827	10	1000	90°	100	2700K	Φ50	80	GU10	0.07
NRP-GU10-10 -9830	10	1050	90°	105	3000K	Φ50	80	GU10	0.07
NRP-GU10-10 -9840	10	1100	90°	110	4000K	Φ50	80	GU10	0.07
NRP-GU10-10 -9865	10	1100	90°	110	6500K	Φ50	80	GU10	0.07

Dimensions in mm








Description:
GU10 LED Lamp

Main material:
PC+Aluminum+Nylon

Specification
Energy saving, up to 85% energy saving
comparing to standard halogen and incandescent
lamps
High quality light, high color rendering, less heat,
no UV or IR radiation
Build-in LED Driver
IP20


Applications
.Shoping mall
.Hotels
.Exhibition hall
.Art hall
.Museums






1

Turn off The Power




2

Cut a hole in the ceiling




3

Snap the LED cup into the outer ring




4

Snap the LED cup into the Lamp cup base




5

Buckle automatically fall down



6

installaion is complete



7

Turn on the power

