

LED Magnetic Track System


NR-M3FD0601 Series

IP20




Model No	P(W)	CCT(K)	Output (lm)	lm/w	Color	Dimensions in mm A B C			kg
NR-M3FD0601-6-27K-BK-24D	6	2700	414	69	Black	159	34	120	0.31
NR-M3FD0601-6-30K-BK-24D	6	3000	426	71	Black	159	34	120	0.31
NR-M3FD0601-6-40K-BK-24D	6	4000	426	71	Black	159	34	120	0.31
NR-M3FD0601-6-30K-WH-24D	6	3000	426	71	White	159	34	120	0.31
NR-M3FD0601-6-40K-WH-24D	6	4000	426	71	White	159	34	120	0.31
NR-M3FD0601-10-27K-BK-24D	10	2700	680	68	Black	302	34	120.3	0.59
NR-M3FD0601-10-30K-BK-24D	10	3000	710	71	Black	302	34	120.3	0.59
NR-M3FD0601-10-40K-BK-24D	10	4000	710	71	Black	302	34	120.3	0.59
NR-M3FD0601-10-30K-WH-24D	10	3000	710	71	White	302	34	120.3	0.59
NR-M3FD0601-10-40K-WH-24D	10	4000	710	71	White	302	34	120.3	0.59


Dimensions in mm



Model No:NR-M3FD0601-6 Series



Model No:NR-M3FD0601-10 Series




Description:
LED Magnetic Track System

Main material:
Aluminum+Pc




Specification:
Aluminum lamp body, one body extruded structure, powder sprayed craft, fine work, sturdy and durable. High light transmission Pc material lamp shade, bright and not dazzling, anti-aging, long service life. IP20

Applications
.Office
.Meeting room
.Sitting room




Magnetic Track System Power Supply

NR-S20-S35-PS-48V-100-DIM
IP20




Model No	P(W)	Input	Output	Dimensions in mm			
				A	B	C	
NR-S20-S35-PS-48V-100-DIM	100	AC220-240V	DC48V 2.1A	260	30	48	0.7

Dimensions in mm




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 21.9 DEG

Illuminance at a Distance




Model No:NR-M3FD0601-6 Series

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




AVERAGE BEAM ANGLE (50%) : 20.9 DEG

Illuminance at a Distance




Model No:NR-M3FD0601-10 Series




1

Turn off The Power




2

Terminals connect power cables and wrap terminals with waterproof tape




3

Installing power connectors




4

Install lamp




5


Installation is complete



6


The dimming panel is connected to the luminaire cable





7

Turn on the power



8

Wiring diagram

